



Hahnemühle

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 10/3/2017

Version: 1

Language: en-GB,IE

Date of print: 21/4/2017

## Hahnemühle Protective Spray

Material number HM - HM01

Page: 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Hahnemühle Protective Spray

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: protecting agent

#### 1.3 Details of the supplier of the safety data sheet

Company name: Hahnemühle FineArt GmbH  
Street/POB-No.: Hahnestr. 5  
Postal Code, city: 37586 Dassel  
Germany  
WWW: www.hahnemuehle.com  
E-mail: tfa@hahnemuehle.com  
Telephone: +49 (0)55 61 791-235  
Telefax: +49 (0)55 61 791-340  
Dept. responsible for information:  
Sales and Marketing  
Telephone: +49 (0) 5561-791-237  
Telefax: +49 (0) 5561-791-377  
E-mail: dfa@hahnemuehle.com

#### 1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany,  
Telephone: +49 551-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to EC regulation 1272/2008 (CLP)

Aerosol 1; H222; H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Sens. 1; H317 May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling (CLP)



Signal word: **Danger**

Hazard statements: H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H317 May cause an allergic skin reaction.



Hahnemühle

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 10/3/2017

Version: 1

Language: en-GB,IE

Date of print: 21/4/2017

## Hahnemühle Protective Spray

Material number HM - HM01

Page: 2 of 11

### Precautionary statements:

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to hazardous or special waste collection point.

### Special labelling

Text for labelling:

Contains: A mixture of  
alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and  
alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

### 2.3 Other hazards

Potentially explosive mixtures may form if adequate ventilation is not provided.  
Inhaling can lead to irritations of the respiratory tract and mucous membrane.  
Repeated exposure may cause skin dryness or cracking.  
Higher doses may lead to a narcotic effect.

Results of PBT and vPvB assessment:

No data available

## SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Solvent mixture, polymer-resin

**Hahnemühle Protective Spray**

Material number HM - HM01

Page: 3 of 11

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 200-578-6 CAS 64-17-5	Ethanol	50 - 70 %	Flam. Liq. 2; H225.
EC No. 204-658-1 CAS 123-86-4	n-Butyl acetate	1 - 10 %	Flam. Liq. 3; H226. STOT SE 3; H336. (EUH066).
EC No. 204-626-7 CAS 123-42-2	4-Hydroxy-4-methylpentan-2-one	< 10 %	Flam. Liq. 3; H226. Eye Irrit. 2; H319.
REACH 01-0000015075-76-xxxx EC No. 400-830-7	A mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)	< 0.5 %	Skin Sens. 1; H317. Aquatic Chronic 2; H411.
REACH 01-2119472128-37-xxxx EC No. 204-065-8 CAS 115-10-6	Dimethyl ether	20 - 30 %	Flam. Gas 1; H220. Compr. Gas; H280.

Full text of H- and EUH-statements: see section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

General information:	First aider: Pay attention to self-protection! If you feel unwell, seek medical advice (show the label where possible).
In case of inhalation:	Provide fresh air. Seek medical treatment in case of troubles.
Following skin contact:	Remove residues with soap and water. In case of skin irritation, consult a physician. Take off contaminated clothing and wash it before reuse.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.
After swallowing:	Rinse mouth and seek medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Inhaling can lead to irritations of the respiratory tract and mucous membrane.  
Repeated exposure may cause skin dryness or cracking.  
Higher doses may lead to a narcotic effect.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.



## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurised container: May burst if heated. In case of fire may be liberated: carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: -

Heating will lead to pressure increase: Danger of bursting and explosion. Use fine water spray to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Do not allow fire water to penetrate into surface or ground water.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe spray. Avoid contact with skin, eyes, and clothing.

Eliminate all ignition sources if safe to do so. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Cordon off downwind area at risk and warn inhabitants. Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Thoroughly clean surrounding area.

In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out).

Never return spills in original containers for re-use.

Collect spilled material using paper towels and dispose.

Additional information:

Use explosion-proof equipment and non-sparking tools/utensils.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Do not breathe spray.

Do not get in eyes, on skin, or on clothing.

Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse.

Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store containers in upright position. Protect from frost.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
64-17-5	Ethanol	Great Britain: WEL-TWA Ireland: 15 minutes	1920 mg/m <sup>3</sup> ; 1000 ppm 1000 ppm
123-86-4	n-Butyl acetate	Great Britain: MEL/OES-STEL Great Britain: MEL/OES-TWA Ireland: 15 minutes Ireland: 8 hours	966 mg/m <sup>3</sup> ; 200 ppm 724 mg/m <sup>3</sup> ; 150 ppm 950 mg/m <sup>3</sup> ; 200 ppm 710 mg/m <sup>3</sup> ; 150 ppm
123-42-2	4-Hydroxy-4-methylpentan-2-one	Great Britain: WEL-STEL	362 mg/m <sup>3</sup> ; 75 ppm
		Great Britain: WEL-TWA Ireland: 8 hours	241 mg/m <sup>3</sup> ; 50 ppm 240 mg/m <sup>3</sup> ; 50 ppm
115-10-6	Dimethyl ether	Europe: IOELV: TWA Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 8 hours	1920 mg/m <sup>3</sup> ; 1000 ppm 958 mg/m <sup>3</sup> ; 500 ppm 766 mg/m <sup>3</sup> ; 400 ppm 1920 mg/m <sup>3</sup> ; 1000 ppm



## 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

## Personal protection equipment

### Occupational exposure controls

- Respiratory protection: The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection: Protective gloves according to EN 374.  
Glove material: Nitrile rubber - Layer thickness 0.11 mm  
Breakthrough time: >480 min.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Flame retardant, antistatic and chemical resistant protective clothing.
- General protection and hygiene measures:  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not pierce or burn, even after use.  
Do not spray on an open flame or other ignition source.  
Use only non-sparking tools.  
Do not breathe spray.  
Do not get in eyes, on skin, or on clothing.  
Take off contaminated clothing and wash it before reuse.  
Do not eat, drink or smoke when using this product.  
Wash hands thoroughly after handling.  
When handling large quantities, supply emergency spray.

## Environmental exposure controls

Do not allow to enter into ground-water, surface water or drains.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

- Appearance: Physical state at 20 °C and 101.3 kPa: liquid  
Form: Aerosol  
Colour: colourless
- Odour: characteristic
- Odour threshold: No data available
- pH value: No data available
- Melting point/freezing point: No data available
- Initial boiling point and boiling range: No data available
- Flash point/flash point range: -41 °C
- Evaporation rate: No data available
- Flammability: Extremely flammable aerosol.
- Explosion limits: LEL (Lower Explosion Limit): 3.00 Vol-%  
UEL (Upper Explosive Limit): 18.60 Vol-%
- Vapour pressure: at 20 °C: 3500 hPa

**Hahnemühle Protective Spray**

Material number HM - HM01

Page: 7 of 11

Vapour density:	No data available
Density:	at 20 °C: 0.77 g/mL
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	Vapours can form explosive mixtures with air.
Oxidizing characteristics:	No data available

**9.2 Other information**

Ignition temperature: 235 °C

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Extremely flammable aerosol.  
Vapours can form explosive mixtures with air.

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Pressurised container: May burst if heated.

**10.4 Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not pierce or burn, even after use.  
Do not spray on an open flame or other ignition source.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Protect from frost.

**10.5 Incompatible materials**

No data available

**10.6 Hazardous decomposition products**

carbon monoxide and carbon dioxide.

Thermal decomposition: No data available



## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

## SECTION 12: Ecological information

### 12.1 Toxicity

Further details: Product is partially biodegradable.

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.



Hahnemühle

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

## Hahnemühle Protective Spray

Material number HM - HM01

Revision date: 10/3/2017

Version: 1

Language: en-GB,IE

Date of print: 21/4/2017

Page: 9 of 11

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Waste key number: 16 05 04\* = Gases in pressure containers (including halons) containing hazardous substances.

\* = Evidence for disposal must be provided.

Recommendation: Do not pierce or burn, even after use.  
Special waste.  
Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.

##### Contaminated packaging

Recommendation: Empty carefully and completely, if possible.  
Handle empty containers with care. Incineration may cause explosion.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:

UN 1950

#### 14.2 UN proper shipping name

ADR/RID, IMDG: UN 1950, AEROSOLS

IATA-DGR: UN 1950, AEROSOLS, flammable

#### 14.3 Transport hazard class(es)

ADR/RID: Class 2, Code: 5F

IMDG: Class 2.1, Subrisk-

IATA-DGR: Class 2.1



#### 14.4 Packing group

ADR/RID, IATA-DGR: not applicable

IMDG: -

#### 14.5 Environmental hazards

Marine pollutant: no



Hahnemühle

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 10/3/2017

Version: 1

Language: en-GB,IE

Date of print: 21/4/2017

## Hahnemühle Protective Spray

Material number HM - HM01

Page: 10 of 11

### 14.6 Special precautions for user

#### Land transport (ADR/RID)

Warning board:	ADR: UN number UN 1950 RID: Kemmler-number 23, UN number UN 1950
Hazard label:	2.1
Special provisions:	190 327 344 625
Limited quantities:	1 L
EQ:	E0
Contaminated packaging - Instructions:	P207 LP200
Contaminated packaging - Special provisions:	PP87 RR6 L2
Special provisions for packing together:	MP9
Tunnel restriction code:	D

#### Sea transport (IMDG)

EmS:	F-D, S-U
Special provisions:	63, 190, 277, 327, 344, 381,959
Limited quantities:	1000 mL
Excepted quantities:	E0
Contaminated packaging - Instructions:	P207, LP200
Contaminated packaging - Provisions:	PP87, L2
IBC - Instructions:	-
IBC - Provisions:	-
Tank instructions - IMO:	-
Tank instructions - UN:	-
Tank instructions - Provisions:	-
Stowage and handling:	SW1 SW22
Segregation:	SG69
Properties and observations:	-
Segregation group:	none

#### Air transport (IATA)

Hazard label:	Flamm. gas
Excepted Quantity Code:	E0
Passenger and Cargo Aircraft: Ltd.Qty.:	Pack.Instr. Y203 - Max. Net Qty/Pkg. 30 kg G
Passenger and Cargo Aircraft:	Pack.Instr. 203 - Max. Net Qty/Pkg. 75 kg
Cargo Aircraft only:	Pack.Instr. 203 - Max. Net Qty/Pkg. 150 kg
Special provisions:	A145 A167 A802
Emergency Response Guide-Code (ERG):	10L

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code:	-
	No data available



Hahnemühle

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

## Hahnemühle Protective Spray

Material number HM - HM01

Revision date: 10/3/2017

Version: 1

Language: en-GB,IE

Date of print: 21/4/2017

Page: 11 of 11

### National regulations - EC member states

Volatile organic compounds (VOC):

93.5 % by weight = 72 g/L

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

### Further information

Wording of the H-phrases under paragraph 2 and 3:

H220 = Extremely flammable gas.

H222 = Extremely flammable aerosol.

H225 = Highly flammable liquid and vapour.

H226 = Flammable liquid and vapour.

H229 = Pressurised container: May burst if heated.

H280 = Contains gas under pressure; may explode if heated.

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

H336 = May cause drowsiness or dizziness.

H411 = Toxic to aquatic life with long lasting effects.

EUH066 = Repeated exposure may cause skin dryness or cracking.

Date of first version: 10/3/2017

### Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.